S185	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	surfacer) same (test adj panel)) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ OR 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls.) or ((365/\$ or 369/\$ or 370/\$ or 375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.)	
S184	All-image class sear	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(358/\$)!.CCLS. or 382/\$.ccls. or 348/\$.ccls. or 345/\$.ccls. or 386/\$.ccls. or 725/\$.ccls. or 463/\$.ccls. or 359/\$.ccls. or 600/\$.ccls. or 355/\$.ccls. or d16/\$.ccls.	
S183	All-computer class se	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(710/\$ OR 711/\$ OR 712/\$ OR 713/\$ OR 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.	
S182	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(apply or applying or applied or application or add or adding or added or addition) same (coat or coating or paint or primer or surfacer) same (test adj panel)	
S181	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	((apply or applying or applied or application or add or adding or added or addition) same (coat or coating or paint or primer or surfacer) same (test adj panel)) and 345/\$.ccls	
S213	09/840,711	- USPT	(coat or coating or coated or paint or painting or painted or primer or priming or primed surfacer or surfacing or surfaced) same (test adj panels!) same (horizontal or horizontally) same (vertical or vertically)	
S212	09/840,711	USPT	((coat or coating or coated or paint or painting or painted or primer or priming or primed surfacer or surfacing or surfaced) same (test adj panel) same (horizontal or horizontally or vertical or vertically)) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ OR 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls.)	

			or ((365/\$ or 369/\$ or 370/\$ or 375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.)	
S211	09/840,711	USPT	(coat or coating or coated or paint or painting or painted or primer or priming or primed surfacer or surfacing or surfaced) same (test adj panel) same (horizontal or horizontally or vertical or vertically)	
S210	09/840,711	USPT	(coat or coating or paint or primer or surfacer) same (test adj panel)	
S209	09/840,711	USPT	(texture or texturing or textured) same ((each or every) adj (polygon or primitive))	
S208	09/840,711	USPT	(texture or texturing or textured) near3 ((each or every) adj (polygon or primitive))	
S207	09/840,711	USPT	(texture or texturing or textured) near2 ((each or every) adj (polygon or primitive))	
S206	Geometric Modeling	USPT	5898437.pn. or 5905507.pn. or 5870097.pn. or 5923333.pn. or 5633951.pn. or 5448686.pn. or 5261041.pn. or 6278457.pn. or 6392645.pn. or 6522324.pn. or 6525731.pn. or 6545673.pn.	
S205	Lighting Issues	USPT	5764871.pn. or 4709231.pn. or 5268996.pn. or 4967375.pn. or 5379370.pn. or 5745125.pn. or 6006158.pn. or 5261041.pn. or 6097395.pn. or 6101290.pn. or 6101272.pn. or 5841530.pn. or 6078333.pn. or 4554587.pn. or 5710876.pn. or 5903271.pn. or 6069659.pn. or 5895135.pn. or 6084590.pn. or 6342887.pn. or 5900850.pn. or 5572635.pn. or 4949280.pn. or 5818456.pn. or 5903272.pn. or 5903272.pn. or 5912992.pn. or 5990901 or 6147690.pn. or 6320578.pn. or 6441820.pn. or 6545677.pn.	
S204	09/840,711	USPT	(6539325 or 5907495 or 5615322 or 6118456).pn.	
S203	09/840,711	USPT	(cad and (polygons! same (accurate or realistic)) and (virtual adj reality)) and (3d or (3 adj d) or (three adj (dimension or dimensional)))	

4 of 9 4/21/03 1:57 PM

S202	09/840,711	USPT	cad and (polygons! same (accurate or realistic)) and (virtual adj reality)	
S201	09/840,711	USPT	cad and (polygons! same (accurate or realistic or true)) and (virtual adj reality)	
S200	09/840,711	USPT	cad and polygons! and (virtual adj reality) and (accurate or realistic or true)	
S199	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(6539325 or 5907495 or 5615322).pn. and (((increase or increasing or increased or decrease or decreasing or decreased or reduce or reducing or reduced or reduction or propagation or propagate or propagating or propagated) same (polygons! or triangles! or detail)) or (accurate or realistic or true))	
S198	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	((coating near2 parameter) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ OR 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls.) or ((365/\$ or 369/\$ or 370/\$ or 375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.)	
S197	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(coating near2 parameter) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ OR 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls.) or ((365/\$ or 369/\$ or 370/\$ or 375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.)	
S196	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(coat or coating or paint or primer or priming or surfacer or surfacing) same ((each or every) adj (polygon or triangle))	
S195	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(coat or coating or paint or primer or priming or surfacer or surfacing) adj3 ((each or every) adj (polygon or triangle))	

S194	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(apply or applying or applied or application or add or adding or added or addition) same (coat or coating or paint or primer or surfacer) same ((each or every) adj (polygon or triangle))	
S193	09/840,711	USPT	((((coating near2 (parameter or variable or type)) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ OR 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls.) or ((365/\$ or 369/\$ or 370/\$ or 375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.))) and (atomizer or atomization or (spray adj pass) or (object adj temperature) or ((overlap or overlapping or overlapped) near2 (spray adj pattern)) or ((track or line) adj speed) or (booth adj parameter) or temperature or humidity or downdraft or drying or curing))) and (optical same polygon)	
S192	09/840,711	USPT	((((coating near2 (parameter or variable or type)) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ OR 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls.) or ((365/\$ or 369/\$ or 370/\$ or 375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.)) and (atomizer or atomization or (spray adj pass) or (object adj temperature) or ((overlap or overlapping or overlapped) near2 (spray adj pattern)) or ((track or line) adj speed) or (booth adj parameter) or temperature or humidity or downdraft or drying or curing))) and (3d or (3 adj d) or (three adj (dimension or dimensional))) and (polygons! or triangles!)	

6 of 9 4/21/03 1:57 PM

S191	09/840,711	variable or type)) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ O 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls. or ((365/\$ or 369/\$ or 370/\$ or 375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.)) and (atomizer or atomization o (spray adj pass) or (object adj temperature) or ((overlap or overlapping or overlapped) near2 (spray adj pattern)) or ((track or line) adj speed) or (booth adj parameter) or temperature or humidity or downdraft or drying o curing))) and ((wave adj scan) same (byk adj gardner))	
S190	09/840,711	((((coating near2 (parameter or variable or type)) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ O 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls. or ((365/\$ or 369/\$ or 370/\$ or 375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.)) and (atomizer or atomization or (spray adj pass) or (object adj temperature) or ((overlap or overlapping or overlapped) near2 (spray adj pattern)) or ((track or line) adj speed) or (booth adj parameter) or temperature or humidity or downdraft or drying ocuring))) and (test adj panel)	
		(((coating near2 (parameter or variable or type)) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ O? 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls. or ((365/\$ or 369/\$ or 370/\$ or	

7 of 9

S189	09/840,711	USPT	375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.)) and (atomizer or atomization or (spray adj pass) or (object adj temperature) or ((overlap or overlapping or overlapped) near2 (spray adj pattern)) or ((track or line) adj speed) or (booth adj parameter) or temperature or humidity or downdraft or drying or curing))	
S188	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	((coating near2 (parameter or variable or type)) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ OR 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls.) or ((365/\$ or 369/\$ or 370/\$ or 375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.)) and (atomizer or atomization or (spray adj pass) or (object adj temperature) or ((overlap or overlapping or overlapped) near2 (spray adj pattern)) or ((track or line) adj speed) or (booth adj parameter) or temperature or humidity or downdraft or drying or curing)	
S187	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(coating near2 (parameter or variable or type)) and (((710/\$ OR 711/\$ OR 712/\$ OR 713/\$ OR 714/\$ OR 901/\$ OR 902/\$ OR D14/\$ OR D18/\$ OR 359/\$ OR 600/\$ OR 700/\$ OR 715/\$ OR 716/\$ OR 717/\$ OR 725/\$)!.CCLS.) or ((271/\$ or 345/\$ or 347/\$ or 355/\$ or 358/\$ or 360/\$ or 364/\$ or 386/\$)!.ccls.) or ((365/\$ or 369/\$ or 370/\$ or 375/\$ or 382/\$ or 395/\$ or 399/\$ or 348/\$)!.ccls.) or ((701/\$ or 702/\$ or 704/\$ or 705/\$ or 706/\$ or 707/\$ or 708/\$ or 709/\$)!.ccls.)	
S186	09/840,711	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(coating near2 (parameter or variable or type))	
			((apply or applying or applied or application or add or adding or added or addition) same (coat or coating or paint or primer or	